& HUMAN SERVICES Centers for Disease Control and Prevention NationalCenter for Infectious Diseases Atlanta, GA 30333

WATERBORNE DISEASES OUTBREAK REPORT

This form should be used to report outbreaks of illness after consumption or use of water intended for drinking, as well as outbreaks associated with exposure (ingestion, contact or inhalation) to recreational water.

 CDC USE ONLY	

Form Approved OMB No. 0920-0004

SUBMITTED CO	PIES OF THIS FORM	SHOULD INC	LUDE AS MUCH INFO	RMATION	I AS POS	SIBLE; BU	T THE CO	MPLETIO	N OF EV	ERY ITEM	IS NOT RE	EQUIRED		
1. TYPE of EXPOSURE:	2. LOCATION of	OUTBREAK	<u>(</u> :		3. <u>DA</u>	TE of O	JTBREA	<u>K</u> :	4. <u>N</u>	IUMBER:	<u>S OF</u> :	, Actu	ıal ı	Estimated
☐ Drinking water	Stata:				(Dat	e first c	ase bed	ame ill)	: P	ersons e	xposed:			
Recreational water	State:									Persons ill:				
Other:	Town:													
_ outer.	County:				Mo. Day Yr.				Hospitalized: Fatalities:					
	-													
5. HISTORY of EXPOSED PERSONS: Enter the no. of persons with the following symptoms: NO. OF PERSONS INTERVIEWED:					INTERVIEN NS WHO W				6. INCUBATION 7. DUF PERIOD: 1LLI			NESS		
Diarrhea (≥3 stools/day):	Diarrhea (other):	(Specify definition):						Shor	test:		Shorte	st:	
Visible blood in stools:	Nausea:		Fever:	Voi	miting:		Cramps		Long	est: ——		Longe	st:	
Ear Skin infections:infections:				Ra	sh:		Dermatiti		ı					пп
				ıια	JII		Demiali	3				Median: ——		
Respiratory symptoms:	Other, spe								Mear		_ 🗆 🗀	Mean:		_ U U
8. SPECIMENS EXAMINED	from PATIENTS:	(stool, vom	itus, serum, etc.)						9. <u>E</u>		Y of OUT gent			tic Certainty
SPECIMEN	No. PERSO	NS	1	FINDING	S				(n enter "Unl	-		d Suspected
EXAMPLE Stool	11	8 Giai	rdia intestinali	s 3	negat	ive			Patho	ogen:				
		- C Giai	atootii idii		gun				Chen	nical:				
									Othe	r:			П	\top
										ments:				
									-					
10a. EPIDEMIOLOGIC DATA	A: (e.g., vehicle/sou	rce - specific	attack rates; dose-r	esponse	curve, a	tach loc	al and/o	r state re	port if a	vailable)				p VALUE or
	EXPOSURE			Num	ber of Per	sons EXPO	SED	Number	r of Perso	ns <u>NOT</u> EX	POSED	ODDS/RI RATIO		CONFIDENCE INTERVAL
	(vehicle/source)			ILL	NOT ILL	TOTAL	% ILL	ILL	NOT ILL	TOTAL	% ILL	(If availal		(If available)
													_	
	from comparison	groups to	estimate risk but w	ater was	s the onl	y comm	on sourc	e share	d by per	sons wh	o were il	l.		
10b. Comments:														
11. WATER SUPPLY CHAR	ACTERISTICS: (check all t	hat apply for drink	ing wat	er or re	creation	al wate	r)						this refers
a) TYPE OF DRINKING			b) WATER SOL	-					TED TE		reational v NT PROV		atmer	ıt
Community or Mu	,		□ Well	INCL O	K OLITI	10.			No trea		VI I KOV	<u>10L0</u> .		
City or County	•		☐ Spring/Ho	t spring					Disinfe					
(Name:)	☐ River, Str	eam				_	Chlo					
Subdivision			Lake, Por	nd, Rese	rvoir				☐ Chlo	orine and	Ammonia	a (chlora	mine)	
_ L Trailer Park			Ocean						☐ Bron	mine				
☐ Noncommunity			☐ Pool						Ozo	ne				
	water from a comm developed/maintair		☐ Waterp		mini!				U.V.					
water supply)	•			unity/mu	inicipal ighborho	od apart	mant			er:				
Camp, Cabin, I	Recreational area		☐ Hotel/r		1911001110	ou apaili	HOIIL		Unk		l/a =!			
School				ership cl	ub				•		d/or Flocci	ulation		
☐ Restaurant☐ Hotel, Motel			☐ Private							g (sedime	,			
Church			☐ Kiddie	/wading					⊢iitratio	n at puri include h	fication pl nome filter	ant rs) or po	ol	
Other:			Fountain						Ċ.	id sand		, 1		
☐ Individual househousehousehousehousehousehousehouse	old supply		Interac							v sand				
☐ Bottled water	· ·		☐ Ornam						Diat	omaceou	ıs earth			
			☐ Waterp	oark						er:				
Unknown			☐ Hot tub☐ Whirlpool	lona non	.I				Unk					
			Other:						Other:					HHA
			Unknown						Unknov	wn				

	THOOLED TO QU	IESTION (13), OTHERWISE PROCEED TO (12a).		
12. FACTORS CONTRIBUTING TO DRI a) Contamination at the water so		**************************************	vild/domestic anim	nals
Overflow of sewage	_ :	looding, heavy rains		
☐ Underground seepage of sewa		nproper construction or location of well or spring		
Septic system drainage	_	ontamination of wells through limestone or fissured rock Unknown		
b) Water treatment deficiencies:		<u> </u>		
No disinfection	_	lo filtration Other:		
☐ Temporary interruption of disin	_	nadequate filtration		
☐ Chronically inadequate disinfed		eficiencies in other treatment processes		
c) Contamination in the water di	stribution systen	n or home plumbing:		
Cross connection of potable ar potable water pipes resulting ir		contamination of mains during construction or repair		
potable water pipes resulting in siphonage (negative pressure	back C	contamination of storage facility Unknown		
backflow)	□ c	ontamination in building/home		
d) OTHER REASONS/CONTRIBUTI	NG FACTORS FOR	R CONTAMINATION OF WATER (eg. corrosive water):		
13. ROUTE OF ENTRY FOR RECREAT	ONAL EXPOSURE:	Utilet		
Accidental ingestion	Intentional ingest	tion Contact Inhalation Unknown		
14. FACTORS CONTRIBUTING TO REC	REATIONAL WAT	ER CONTAMINATION: (check all that apply) *See 16 Algal bloom		
a) FRESH OR MARINE WATER (d near site	
☐ High bather density/load	☐ F	looding, heavy rains Agricultural/animal pro	oduction in waters	shed
Fecal accident by bather(s)		tagnant water Unprotected watershe	ed	
Use by diaper/toddler aged chi		Vater Temperature ≥ 30°C		
Overflow or release of sewage	L C	chemical pollution Unknown		
b) FILTERED AND/OR DISINFECTE	D SWIMMING VEN	NUES (e.g. swimming pools, water parks, hot tubs, whirlpools/spa pools):		
High bather density/load	□ Ir	nadequate disinfection		
Fecal accident by bather(s)	□ P	oor monitoring of disinfection levels		
Use by diaper/toddler aged chi		cross contamination (specify)		
	□ c	combined adult/child pool filtration systems		
15. WATER SPECIMENS EXAMINED:	(provide information	n for routine samples collected before and during the outbreak investigation as well	as for any specia	l lab studies)
NONE TESTED	· ·	· · · · ·		
INDINE LEGIED		I ARODATORY DESILITS		
	l DATE	LABORATORY RESULTS	DISINFECTANT	TURRIDITY
ITEM	DATE	MICROBIOLOGY	RESIDUAL	TURBIDITY
ITEM EXAMPLES Tap Water	10/11/01	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L	0.5 mg/L	0.1 NTU
ITEM EXAMPLES Tap Water Untreated Raw Water	10/11/01 11/02/01	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml	0.5 mg/L Not Done	0.1 NTU 10.0 NTU
ITEM EXAMPLES Tap Water Untreated Raw Water System History	10/11/01 11/02/01 Prev. 3 mos	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak	0.5 mg/L Not Done NA	0.1 NTU 10.0 NTU >MCL
ITEM EXAMPLES Tap Water Untreated Raw Water	10/11/01 11/02/01 Prev. 3 mos	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml	0.5 mg/L Not Done	0.1 NTU 10.0 NTU
ITEM EXAMPLES Tap Water Untreated Raw Water System History	10/11/01 11/02/01 Prev. 3 mos	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak	0.5 mg/L Not Done NA	0.1 NTU 10.0 NTU >MCL
ITEM EXAMPLES Tap Water Untreated Raw Water System History	10/11/01 11/02/01 Prev. 3 mos	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak	0.5 mg/L Not Done NA	0.1 NTU 10.0 NTU >MCL
ITEM EXAMPLES Tap Water Untreated Raw Water System History	10/11/01 11/02/01 Prev. 3 mos	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak	0.5 mg/L Not Done NA	0.1 NTU 10.0 NTU >MCL
ITEM EXAMPLES Tap Water Untreated Raw Water System History	10/11/01 11/02/01 Prev. 3 mos	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak	0.5 mg/L Not Done NA	0.1 NTU 10.0 NTU >MCL
ITEM EXAMPLES Tap Water Untreated Raw Water System History	10/11/01 11/02/01 Prev. 3 mos	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak	0.5 mg/L Not Done NA	0.1 NTU 10.0 NTU >MCL
ITEM EXAMPLES Tap Water Untreated Raw Water System History Source Water	10/11/01 11/02/01 Prev. 3 mos Prev. 2 wks	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak Heavy runoff, high turbidity	0.5 mg/L Not Done NA	0.1 NTU 10.0 NTU >MCL
ITEM EXAMPLES Tap Water Untreated Raw Water System History Source Water	10/11/01 11/02/01 Prev. 3 mos Prev. 2 wks	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak Heavy runoff, high turbidity	Not Done NA NA	0.1 NTU 10.0 NTU >MCL 5.0 NTU
ITEM EXAMPLES Tap Water Untreated Raw Water System History	10/11/01 11/02/01 Prev. 3 mos Prev. 2 wks	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak Heavy runoff, high turbidity	Not Done NA NA	0.1 NTU 10.0 NTU >MCL 5.0 NTU
ITEM EXAMPLES Tap Water Untreated Raw Water System History Source Water	10/11/01 11/02/01 Prev. 3 mos Prev. 2 wks	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak Heavy runoff, high turbidity	Not Done NA NA	0.1 NTU 10.0 NTU >MCL 5.0 NTU
ITEM EXAMPLES Tap Water Untreated Raw Water System History Source Water	10/11/01 11/02/01 Prev. 3 mos Prev. 2 wks	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak Heavy runoff, high turbidity	Not Done NA NA	0.1 NTU 10.0 NTU >MCL 5.0 NTU
ITEM EXAMPLES Tap Water Untreated Raw Water System History Source Water	10/11/01 11/02/01 Prev. 3 mos Prev. 2 wks	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak Heavy runoff, high turbidity	Not Done NA NA	0.1 NTU 10.0 NTU >MCL 5.0 NTU
ITEM EXAMPLES Tap Water Untreated Raw Water System History Source Water 16. REMARKS: Clarify for sections 1 are confirmed or are	10/11/01 11/02/01 Prev. 3 mos Prev. 2 wks	Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak Heavy runoff, high turbidity cked items Briefly describe the unusual aspects of the outbreak and/or the onot covered above. Attach epidemic curve and summary report, in	RESIDUAL 0.5 mg/L Not Done NA NA NA utbreak investiga f available.	0.1 NTU 10.0 NTU >MCL 5.0 NTU
ITEM EXAMPLES Tap Water Untreated Raw Water System History Source Water 16. REMARKS: Clarify for sections 1 are confirmed or are	10/11/01 11/02/01 Prev. 3 mos Prev. 2 wks	Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak Heavy runoff, high turbidity Cked items Briefly describe the unusual aspects of the outbreak and/or the onot covered above. Attach epidemic curve and summary report, in appleting form: (please print)	RESIDUAL 0.5 mg/L Not Done NA NA NA Untbreak investigat f available.	0.1 NTU 10.0 NTU >MCL 5.0 NTU
ITEM EXAMPLES Tap Water Untreated Raw Water System History Source Water 16. REMARKS: Clarify for sections 1 are confirmed or are	10/11/01 11/02/01 Prev. 3 mos Prev. 2 wks	Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak Heavy runoff, high turbidity Cked items Briefly describe the unusual aspects of the outbreak and/or the onot covered above. Attach epidemic curve and summary report, in the control of the control of the control of the curve and summary report, in the control of the control of the curve and summary report, in the control of the curve and summary report, in the control of the curve and summary report, in the control of the curve and summary report, in the curve	RESIDUAL 0.5 mg/L Not Done NA NA NA utbreak investiga f available.	0.1 NTU 10.0 NTU >MCL 5.0 NTU
ITEM EXAMPLES Tap Water Untreated Raw Water System History Source Water 16. REMARKS: Clarify for sections 1 are confirmed or are	10/11/01 11/02/01 Prev. 3 mos Prev. 2 wks	Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak Heavy runoff, high turbidity Cked items Briefly describe the unusual aspects of the outbreak and/or the onot covered above. Attach epidemic curve and summary report, in appleting form: (please print)	RESIDUAL 0.5 mg/L Not Done NA NA NA Untbreak investigat f available.	0.1 NTU 10.0 NTU >MCL 5.0 NTU
ITEM EXAMPLES Tap Water Untreated Raw Water System History Source Water 16. REMARKS: Clarify for sections 1 are confirmed or are	10/11/01 11/02/01 Prev. 3 mos Prev. 2 wks 2 and 14 which chesuspected factors out Person com	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak Heavy runoff, high turbidity Cked items Briefly describe the unusual aspects of the outbreak and/or the onot covered above. Attach epidemic curve and summary report, in the control of th	utbreak investigat f available. Date invinitiated	0.1 NTU 10.0 NTU >MCL 5.0 NTU tion restigation :
ITEM EXAMPLES Tap Water Untreated Raw Water System History Source Water 16. REMARKS: Clarify for sections 1 are confirmed or are	10/11/01 11/02/01 Prev. 3 mos Prev. 2 wks 2 and 14 which chessuspected factors out Person com NAME:	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak Heavy runoff, high turbidity Cked items Briefly describe the unusual aspects of the outbreak and/or the onot covered above. Attach epidemic curve and summary report, in the control of th	RESIDUAL 0.5 mg/L Not Done NA NA NA Untbreak investigat f available.	0.1 NTU 10.0 NTU >MCL 5.0 NTU
ITEM EXAMPLES Tap Water Untreated Raw Water System History Source Water 16. REMARKS: Clarify for sections 1 are confirmed or are	10/11/01 11/02/01 Prev. 3 mos Prev. 2 wks 2 and 14 which chessuspected factors out Person com NAME:	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak Heavy runoff, high turbidity Cked items Briefly describe the unusual aspects of the outbreak and/or the onot covered above. Attach epidemic curve and summary report, in the control of th	utbreak investigat f available. Date invinitiated	0.1 NTU 10.0 NTU >MCL 5.0 NTU tion restigation :
ITEM EXAMPLES Tap Water Untreated Raw Water System History Source Water 16. REMARKS: Clarify for sections 1 are confirmed or are	10/11/01 11/02/01 Prev. 3 mos Prev. 2 wks 2 and 14 which chessuspected factors out Person com NAME:	MICROBIOLOGY Total coliforms - none found in two 100ml samples; Giardia - 10 cysts/100L 23 fecal coliforms per 100 ml MCL for total coliforms exceeded month before outbreak Heavy runoff, high turbidity Cked items Briefly describe the unusual aspects of the outbreak and/or the onot covered above. Attach epidemic curve and summary report, in the control of th	utbreak investigat f available. Date invinitiated	0.1 NTU 10.0 NTU >MCL 5.0 NTU tion restigation :

Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Project Clearance Officer, 1600 Clifton Road, MS D-24, Atlanta, GA 30333, ATTN: PRA (0920-0004). <--DO NOT MAIL CASE REPORTS TO THIS ADDRESS-